Clinical and Laboratory Haematology

Edited by J. M. England

EDITORIAL BOARD

M. Allington
F. Bachmann
P. Barkhan
A. J. Bellingham
E. Beutler
I. Cavill
R. Chadwick
C. P. Engelfriet
D. I. K. Evans
R. G. Fewell
C. Giles
A. J. Grimes
F. G. J. Hayhoe
A. M. Holburn
S. R. Hollan
A. Jacobs
G. C. Jenkins
J. A. Koepke
S. M. Lewis
J. E. MacIver
G. A. McDonald
D. G. Penington
P. H. Pinkerton
W. F. Rosse
A. A. Sharp
N. K. Shinton
T. H. Spaet
J. W. Stewart
C. Sultan
J. Triginer
R. L. Verwilghen
D. J. Weatherall
S. N. Wickramasinghe

1979
Volume 1

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH MELBOURNE

© 1979 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
9 Forrest Road, Edinburgh EH1 2QH
214 Berkeley Street, Carlton, Victoria 3053, Australia

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, metchanical, photocopying, recording or otherwise without the prior permission of the copyright owner.

Set in Monotype Times

Printed in Great Britain
at the Alden Press, Oxford

Contents

Volume 1, Number 1, 1979

1 Review: Clinical implications of automation in cell counting systems
S. M. Lewis

13 Home treatment in haemophilia: clinical, social and economic advantages
G. I. C. Ingram, S. R. Dykes, A. L. Creese, P. Mellor, A. V. Swan, J. Kaufert, C. R. Rizza, R. J. D. Spooner and R. Biggs

29 The Coulter Counter Model S Plus—the shape of things to come
R. M. Rowan, C. Fraser, J. H. Gray and G. A. McDonald

41 Variability of serum ferritin concentration in normal subjects
S. Dawkins, I. Cavill, C. Ricketts and M. Worwood

47 A comparison of methods for analysing red cell and platelet volume-distribution curves
J. M. England and M. C. Down

57 Anti-Cad lectin from the seeds of *Leonurus cardiaca*
G. W. G. Bird and June Wingham

61 Draft protocol for testing calibration and quality control material used with blood-counting apparatus
Haemocytometry Panel of the British Committee for Standards in Haematology

65 Case report: Hairy cell leukaemia—apparent cure with reversal of marrow fibrosis
N. G. P. Slater, P. Barkhan and H. J. H. Williams

69 Technical note: A fault in the design of the deoxyuridine suppression test
S. N. Wickramasinghe and J. E. Saunders

73 Book reviews

Volume 1, Number 2, 1979

75 Review: Automated coagulation detection systems
J. A. Koepke and G. G. Klee

87 Review: Acute lymphoblastic leukaemia of B cell origin
S. Roath

95 Allogeneic bone marrow transplantation for severe aplastic anaemia—the London experience
Report compiled by A. J. Barrett

109 A commercially available interactive pattern recognition system for the characterization of blood cells: description of the system, extraction and evaluation of simple geometrical parameters of normal white cells
J. W. Smit, E. S. Gelsema, W. Huiges, R. F. Nawrath and M. R. Halie

121 Prognostic significance of cell surface markers in childhood acute lymphoblastic leukaemia
S. Kumar, T. F. Carr, D. I. K. Evans, P. Morris-Jones and I. M. Hann

129 Assessment of the Coag-a-Pet Dual Channel in the routine haemostatic laboratory
R. M. Rowan, C. Fraser and H. M. Hill

139 Case report: The diagnosis of intracranial haemorrhage in haemophilia by computerized axial tomography
A. C. Newland, P. H. Walter, I. G. Wylie and B. T. Colvin

147 Correspondence
A possible mechanism for antibiotic-induced blood dyscrasias
Automated differential blood cell counting systems

151 Book reviews

Volume 1, Number 3, 1979

153 Review: Minicomputer systems in clinical laboratories
C. F. Page

165 A mini-computer laboratory data management system: the St Mary's system and its laboratory application
C. F. Page and J. M. England

189 The course and complications of idiopathic erythrocytosis
T. C. Pearson and G. Wetherley-Mein

197 Diagnosis of bone marrow necrosis
M. H. J. Leyssen and R. L. Verwilghen

203 Response of neutropenia and anaemia to immunosuppressive therapy: case report and bone marrow culture studies
G. E. Francis, P. G. E. Kennedy, B. I. Hoffbrand, J. J. Berney and A. V. Hoffbrand

215 The prognostic significance of morphological features in childhood acute lymphoblastic leukaemia
I. M. Hann, D. I. K. Evans, M. K. Palmer, P. J. Morris-Jones and C. Haworth

227 Platelet counting—development of a reference method and a reference preparation
S. M. Lewis, J. Wardle, S. Cousins and J. V. Skelly

239 Case report: Auto-anti-Le^b in the serum of a renal dialysis patient
Carolyn M. Giles and Joyce Poole

243 Correspondence
Anisocytosis on the Coulter Counter Model S Plus

244 Book reviews

Volume 1, Number 4, 1979

247 Review: On the nature of Romanowsky dyes and the Romnowsky–Giemsa effect
D. Wittekind

263 Review: Prospects for automated differential leucocyte counting in the routine laboratory
J. M. England

275 Multiple bleeds in haemophilia A
A. Aronstam, M. J. Painter and J. V. Eddey

281 The use of *Disopholidus typus* venom in elucidating the cause of a low prothrombin index
P. M. Atkinson, M. C. Kew, A. Sayed and B. A. Bradlow

291 The low mean cell volume in routine haematology
S. Lessels and R. J. Davidson

299 A laboratory evaluation of the Compur M100 Miniphotometer and the Compur M1100 Minicentrifuge
C. Fraser and F. McCall

305 Computer system for haematology. 1. System design and data acquisition
D. G. Chalmers

313 Computer system for haematology. 2. Handling, storage and transmitting of data
D. G. Chalmers

321 Providing saline reacting anti-D cell typing reagent
T. Gibson

325 Case report: Occurrence of lymphoma with bone marrow involvement in a boy with β^+ thalassaemia major
G. Schilirò, A. Russo, S. Marino, S. Musumeci and G. Russo

329 Case report: Polycythaemia in lung cancer
P. C. Shah, A. R. Patel, F. DiMaria, J. Raba and R. M. Vohra

333 Book reviews

335 Author index to Volume 1

339 Subject index to Volume 1